

TECHNICAL SPECIFICATION

PRODUCT NAME: GLITHERM ECO -17°C

SPECIFICATION

| Type of glycol | Monopropylene glycol |
|-----------------------------|-------------------------------------|
| Glycol Concentration | 35% |
| Color | Green |
| Ethyl alcohol content | None |
| Formulation | Homogeneous liquid without sediment |
| Smell | Weak or no odour |
| Crystallisation temperature | -17°C |
| Boiling point | >100°C |
| Density | 1,032g/cm³ (at 20°C) |
| Alkaline reserve | Not lower than 8 |
| рН | 7,5 – 9,5 |

The given physical and chemical values are the typical values.

The manufacturer of the product in question guarantees that the product does not contain any glycerine additives and does not come from the regeneration processes.

USAGE

Refrigeration, air-conditioning, heating systems, heat pumps, sprinkler devices and as a coolant in the food industry, without direct food contact. It is also an ideal medium for all types of systems using renewable energy sources.

ADDITIONAL INFORMATION

The product has standards that allow it for use in construction, i.e. ITB Technical Recommendation and the Hygienic Certificate of the National Institute of Hygiene.

The product provides full anti-corrosion protection, prevents formation of deposits and microbiological life, keeps installations clean.

The product is covered by a 5-year warranty.

The product is ready to use.